




Andersen House, Dallow Street, Burton-on-Trent, Staffordshire, DE14 2PQ. Tel: (01283) 511122 Fax: (01283) 510863
Email: info@blackmillwork.co.uk Web: www.blackmillwork.co.uk


BLACK MILLWORK ENTRANCE DOORSETS Style Guide

Issued 14/8/09


ENTRANCE DOORSET STYLES




ED 01




ED 02




ED 03




ED 04




ED 05




ED 06




ED 07




ED 08




ED 09




ED 10




ED 11



ED 12



ED 13




ED 14



ED 15



ED 16




ED 17




ED 18


ENTRANCE DOORSET STYLES




ED 19




ED 20




ED 21




ED 21




ED 22




ED 23




ED 24




ED 25




ED 26




ED 27




ED 28




ED 29




ED 30




ED 31




ED 32



ED 33




ED 34




ED 35


ENTRANCE DOORSET STYLES




ED 36




ED 50



ED 51



ED 52




ED 53




ED 54


ENTRANCE DOORSET STYLES




ED 55




ED 56




ED 57




ED 58



ED 59




ED 60




ED 61


ENTRANCE DOORSET STYLES




ED 62




ED 63




ED 64



ED 65




ED 66




ED 67


ENTRANCE DOORSET STYLES




ED 68




ED 69



ED 70



ED 71



ED 72

ENTRANCE DOORSET SPECIFICATION

BLACK MILLWORK DOORSET SPECIFICATION

Door thickness 44mm

Wood: Enginered Pine or Oak

Frame finish in / outside : Available in any RAL colour and a range of stains

Door Panel finish in / outside : Available in any RAL colour and a range of stains

Wood panel : 38mm from solid wood

Hardware: Winlock

Door lock 2sec. hook 45mm back

Adjustable centre keep silver

Adjustable hook keep silver

Door Handle: Bobmardier lever bright chrome

Cylinder: EPC 35/40 6PIN a/drill nickle

BUTT HINGE 100X75

20MM SHOOT BOLT

DOUBLE SHOOTBOLT KEEP SILVER(TIMBER)

Threshold: stained oak + STORMGUAR SLIMLINE SILVER

Raindeflector: Stormguard silver

Silicone : transparent along glass

No silicone along wood panel

Glass in door sash: 2k4TEMPERED SAFETY GLASS+thermix spacer 18mm

Glass in side lights or top lights: 2k4TEMPERED SAFETY GLASS+thermix spacer 24mm